

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**\* 1 Identification**

- **Product Identifier**
- **Trade name: SpeedyDry**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Product Description** Ink Additive
- **Application of the substance / the mixture:** To be added to conventional offset inks.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Genesis, LLC  
256 West Trade Street  
Burlington, NC U.S.A  
Phone: 1-336-261-0170
- **Emergency telephone number:**  
800-424-9300 (Chemtrec U.S. & Canada Calls)  
+32 14 58 45 45 (24h/24h) Information centre on dangerous goods (BIG)  
1-800-424-9300 (24 HR CHEMTREC)

**\* 2 Hazard(s) Identification**

- **Classification of the substance or mixture:**



GHS08 Health hazard

Resp. Sens. 1 H334      May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT RE 1    H372-H373    Causes damage to organs through prolonged or repeated exposure. May cause damage to the respiratory system through prolonged or repeated exposure.

Asp. Tox. 1    H304      May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2    H315      Causes skin irritation.

Eye Irrit. 2A    H319      Causes serious eye irritation.

Skin Sens. 1    H317      May cause an allergic skin reaction.

STOT SE 3    H335-H336    May cause respiratory irritation. May cause drowsiness or dizziness.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07



GHS08

- **Signal word:** Danger

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry****· Hazard-determining components of labeling:**

Cobalt Neodecanoate  
 Manganese Neodecanoate  
 Distillates (petroleum), hydrotreated middle

**· Hazard statements:**

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H317 May cause an allergic skin reaction.  
 H320 Causes eye irritation.  
 H304 May be fatal if swallowed and enters airways.  
 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.  
 H372-H373 May cause damage to organs through prolonged or repeated exposure. May cause damage to the respiratory system through prolonged or repeated exposure.

**· Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
 P284 [In case of inadequate ventilation] wear respiratory protection.  
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P264 Wash thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P363 Wash contaminated clothing before reuse.  
 P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P314 Get medical advice/attention if you feel unwell.  
 P331 Do NOT induce vomiting.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P405 Store locked up.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.  
 26.9 % of the mixture consists of component(s) of unknown toxicity.

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry**

- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = *2
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

\* **3 Composition/Information on Ingredients**

- **Non-hazardous components:**

8001-20-5	Tung Oil	15-35%
-----------	----------	--------

- **Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous Components:**

CAS: 27253-31-2	Cobalt Neodecanoate ⚠ Resp. Sens. 1, H334; Carc. 2, H351; Asp. Tox. 1, H304; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 2B, H320	15-35%
CAS: 25265-71-8	Dipropylene Glycol	< .5%
CAS: 27253-32-3	Manganese Neodecanoate ⚠ STOT SE 2, H371; Asp. Tox. 1, H304; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	5-10%
CAS: 64742-46-7	Distillates (petroleum), hydrotreated middle <b>NOTE*</b> ⚠ Carc. 1B, H350; Asp. Tox. 1, H304	2-12%
	<b>Note:</b> The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Annex VI.	
CAS: 136-52-7	Cobalt bis(2-ethylhexanoate) Acute Tox. 1, H300	≤ .09%

- **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

\* **4 First-Aid Measures**

- **Description of first aid measures:**

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation occurs, consult a doctor.

(Contd. on page 4)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry****· After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.  
If easy to do so, remove contact lenses if worn.

**· After swallowing:**

Do not induce vomiting; immediately call for medical help.  
Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention.

**· Information for doctor:**

**· Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**· Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

**\* 5 Fire-Fighting Measures****· Extinguishing media:****· Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**· For safety reasons unsuitable extinguishing agents:** Water with full jet

**· Special hazards arising from the substance or mixture:**

In certain fire conditions, traces of other toxic gases cannot be excluded.  
Closed containers may explode when exposed to extreme heat.

**· Advice for firefighters:****· Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

**\* 6 Accidental Release Measures****· Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

**· Environmental precautions:** Do not allow to enter sewers/surface or ground water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.

**· Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**· Protective Action Criteria for Chemicals****· PAC-1:**

64742-46-7	Petroleum distillates	1100 mg/m <sup>3</sup>
------------	-----------------------	------------------------

**· PAC-2:**

64742-46-7	Petroleum distillates	1,800 mg/m <sup>3</sup>
------------	-----------------------	-------------------------

**· PAC-3:**

64742-46-7	Petroleum distillates	40000* mg/m <sup>3</sup>
------------	-----------------------	--------------------------

**\* 7 Handling and Storage****· Handling****· Precautions for safe handling:**

Avoid contact with skin, eyes and clothing

(Contd. on page 5)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep protective respiratory device available.

· **Conditions for safe storage, including any incompatibilities:**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in a cool, dry place.

· **Information about storage in one common storage facility:** Store away from oxidizing agents.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s):** No further relevant information available.

**\* 8 Exposure Controls/Personal Protection**

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters:**

· **Components with occupational exposure limits:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

<b>27253-31-2 Cobalt Neodecanoate</b>	
OSHA PEL	Long-term value: 0.1 mg/m <sup>3</sup>
<b>136-52-7 Cobalt bis(2-ethylhexanoate)</b>	
TLV	Long-term value: 0.02 mg/m <sup>3</sup> as Co, BEI
<b>27253-32-3 Manganese Neodecanoate</b>	
OSHA PEL	Long-term value: 5 mg/m <sup>3</sup>
<b>64742-46-7 Petroleum distillate (hydrotreated middle) *Note</b>	
ACGIH TLV	Short-term value: 10 mg/m <sup>3</sup> TWA oil mist
	Long-term value: 5 mg/m <sup>3</sup> TWA oil mist
OSHA PEL	Long-term value: 5 mg/m <sup>3</sup> TWA oil mist
<p><b>Note:</b> The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Annex VI.</p>	

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

Use in well ventilated area. Observe Occupational Exposure Limits (OEL) and minimize the risk of inhalation of vapors or mists. Use mechanical or local exhaust ventilation.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry**

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:**



Protective work clothing

### \* 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Liquid

Color:

Purple

· **Odor:**

Mild

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

· **Melting point/Melting range:**

Not determined.

· **Boiling point/Boiling range:**

156 °C (313 °F)

· **Flash point:**

96 °C (205 °F) (Pensky Martens Closed Cup)

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

Not determined.

· **Decomposition temperature:**

Not determined.

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry**

- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** 1.1 Vol %
  - Upper:** 6.0 Vol %
- **Vapor pressure @ 20 °C (68 °F):** 1.3 hPa (1 mm Hg)
- **Density @ 20 °C (68 °F):** 1 g/cm<sup>3</sup> (8.345 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** <1 (Air=1)
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 2.0 %
  - Solids content:** 0.1 %
- **Other information:** No further relevant information available.

**\* 10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** Carbon dioxide and carbon monoxide may form when heated to decomposition  
Cobalt oxides and manganese oxides.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Irritant gases/vapors

**\* 11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64742-46-7 Petroleum distillates hydrotreated middle**

Oral LD50 &gt;5000 mg/kg (Rat)

**25265-71-8 dipropylene glycol**

Oral LD50 &gt;14.8 ml/kg (Rat)

Dermal LD50 &gt;20 ml/kg (Rabbit)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.  
May cause an allergic skin reaction.

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry**

- **On the eye:** Irritating effect.
- **Sensitization:**  
Sensitization possible through inhalation.  
Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

27253-31-2	Cobalt Neodecanoate	3
136-52-7	Cobalt bis(2-ethylhexanoate)	2B

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

\* **12 Ecological Information**

- **Toxicity:**
- **Aquatic toxicity:** Toxic to aquatic life
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

\* **13 Disposal Considerations**

- **Waste treatment methods:**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry****14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**\*15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

136-52-7 Cobalt bis(2-ethylhexanoate)

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempt from listing.

· **California Proposition 65:**· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

25265-71-8 Dipropylene glycol

· **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**

136-52-7 Cobalt bis(2-ethylhexanoate)

25265-71-8 Dipropylene glycol

(Contd. on page 10)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry****· Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

**· Carcinogenic categories:****· EPA (Environmental Protection Agency):**

None of the ingredients are listed.

**· IARC (International Agency for Research on Cancer):**Distillates (petroleum), hydrotreated middle  
Cobalt bis (2-ethylhexanoate)**· TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms:**

GHS07 GHS08

**· Signal word: Danger****· Hazard-determining components of labeling:**Cobalt Neodecanoate  
Manganese Neodecanoate  
Distillates (petroleum), hydrotreated middle**· Hazard statements:**

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H317 May cause an allergic skin reaction.  
 H320 Causes eye irritation.  
 H304 May be fatal if swallowed and enters airways.  
 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.  
 H372-H373 Causes damage to organs through prolonged or repeated exposure. May cause damage to the respiratory system through prolonged or repeated exposure.

**· Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
 P284 [In case of inadequate ventilation] wear respiratory protection.  
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P264 Wash thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P272 Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 11)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

**Trade name: SpeedyDry**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P363	Wash contaminated clothing before reuse.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

<ul style="list-style-type: none"> <li>· <b>National regulations:</b></li> </ul>
--

The product is subject to be classified according with the latest version of the regulations on hazardous substances.
---

<ul style="list-style-type: none"> <li>· <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.</li> </ul>
---

<ul style="list-style-type: none"> <li>* <b>16 Other Information</b></li> </ul>
---

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision:** 02/28/2018 / 29

- **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

(Contd. on page 12)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/27/2018

Reviewed on 02/27/2018

### Trade name: SpeedyDry

Flam. Liq. 3: Flammable liquids – Category 3  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 1: Acute toxicity – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
Resp. Sens. 1: Respiratory sensitisation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 2: Specific target organ toxicity (single exposure) – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1  
Asp. Tox. 1: Aspiration hazard – Category 1

· \* **Data compared to the previous version altered.**